

The manufacturer may use the marks:



Certification Report:

GEP 21-10-40 FSA R001 V1R0

Application Restrictions:

The unit shall be operated in a network and operational environment meeting the assumptions in the product certification report.

Validity:

Product certificate remains valid under the following conditions:

- The following SDLA certificate remains valid: ISASecure® SDLA certificate number GE 2202105 C001 issued to GE Power Conversion
- HPCi Controller 8.1.x remains under security management practices thereby certified

Revision 1.0 December 31, 2023



ISASecure Chartered Laboratory:

exida
80 North Main St.
Sellersville, PA 18960
License: ISCI-CL0001
AClass Cert No: AT-1531



T-244 V1 R1

Certificate / Certificat Zertifikat / 合格証

GEP 2110040 C001

exida hereby confirms that the

HPCi Controller

**GE Power Conversion
Rugby, United Kingdom**

Conforms to 62443 requirements listed and to requirements shown.

ANSI/ISA-62443-4-1:2018, IEC 62443-4-1:2018 Secure product development lifecycle requirements

ANSI/ISA-62443-4-2:2018, IEC 62443-4-2:2019 Technical security requirements for IACS components

Meeting Requirements for:

ISASecure Component Security Assurance (CSA) 1.0.0 Capability Security Level 3 requirements for embedded devices, referencing errata CSA-102 v1.9

The normative documents and issue dates that define this certification are listed at www.isasecure.org

Assessment	Subject under Assessment	Date	Current releases at time of assessment
ISASecure® CSA evaluation	HPCi Controller	December 31, 2023	Sys_HPCi 8.1.0



Bill Thonson

Evaluating Assessor

David A. Johnson

Certifying Assessor